

A1959 Triumph TR3A	
Year	1959
Make	Triumph
Model	TR3A
Engine Location	Front
Drive Type	Rear Wheel
Body Material	Steel body on steel frame
Production Years for Series	1957-1962
Price	\$2,840.00
Weight	2020 lbs 916.3 kg

Performance	
0-60 mph	12.55 seconds.
Top Speed	102 mph 164.1 km/h

Engine	
Engine Configuration	I
Cylinders	4
	Solid valve lifters
Aspiration/Induction	Normal
Displacement	1991.00 cc 121.5 cu in. 2 L.
Valvetrain	OHV
Horsepower	100.00 BHP (73.6 KW) @ 5000.00 RPM
Torque	117.00 Ft-Lbs (158.7 NM) @ 3000.00 RPM
HP to Weight Ratio	20.2 LB / HP
HP / Liter	50.0 BHP / Liter
Bore	3.27 in 83.1 mm.
Stroke	3.62 in 91.9 mm.
Compression Ratio	8.5:1
Main Bearings	3
Fuel Type	Gasoline - Petrol
Fuel Feed	2 SU Carburetor
Block	Cast-iron

Standard Transmission	
Gears	4
Transmission	Manual

Dimensions	
Seating Capacity	2
Doors	2

Exterior	
Length	151.001 in 3835.4 mm.
Width	55.501 in 1409.7 mm.
Height	50.001 in 1270 mm.
Wheelbase	88.001 in 2235.2 mm.

Front Track	45.001 in 1143 mm.
Rear Track	45.501 in 1155.7 mm.

Suspension	
Suspension	Front : Unequal-length A-arms with coil springs Rear : Rigid axle with semi-elliptic leaf springs

Steering	
	Cam and Lever

Tires / Wheels	
Tires	5.50x15